

Prysmian Fiber Cable Inventory



Updated Inventory List as of **January 25, 2010** at 8:00 am EST

Please contact Customer Service at 800-669-0808 to confirm availability & sequential units (Feet or Meters) and cable print.

Shipments will be within 3 business days from receipt of order, shipped from Lexington, SC

Part Number	Fiber CT	Cable Type	Description	Fiber Type	Fiber Attn	Batch	FGN	Feet	Meters
0006HBS1LABNAJB	6	CentraLink, Central Tube, Armored (SA/SJ)	Central Loose Tube	G.652.D SM Low Water Peak	0.35/0.25	Z825000A	2000608769	14,155	4,315
0006MBS1LABNAJB	6	CentraLink, Central Tube, Armored (SA/SJ)	Central Loose Tube	Corning 50 Micron MM	3.5/1.5	A815498	8000608711	20,964	6,390
0004HBS1LACNAJB	4	CentraLink CD, Central Tube, Armored (SA/SJ)	Central Loose Tube	G.652.D SM Low Water Peak	0.35/0.25	23238D	2000411063	5,110	1,557
0004HBS1LACNAJB	4	CentraLink CD, Central Tube, Armored (SA/SJ)	Central Loose Tube	G.652.D SM Low Water Peak	0.35/0.25	Z823263A	2000411063	3,484	1,062
0004HBS1LACNAJB	4	CentraLink CD, Central Tube, Armored (SA/SJ)	Central Loose Tube	G.652.D SM Low Water Peak	0.35/0.25	W823238A	2000411063	9,035	2,754
0004HBS1LACNAJB	4	CentraLink CD, Central Tube, Armored (SA/SJ)	Central Loose Tube	G.652.D SM Low Water Peak	0.35/0.25	Z823269B	2000411063	3,314	1,010
0004HBS1LACNAJB	4	CentraLink CD, Central Tube, Armored (SA/SJ)	Central Loose Tube	G.652.D SM Low Water Peak	0.35/0.25	23263G	2000411063	5,410	1,649
0004HBS1LACNAJB	4	CentraLink CD, Central Tube, Armored (SA/SJ)	Central Loose Tube	G.652.D SM Low Water Peak	0.35/0.25	W822688A	2000411063	8,269	2,521
0004HBS1LACNAJB	4	CentraLink CD, Central Tube, Armored (SA/SJ)	Central Loose Tube	G.652.D SM Low Water Peak	0.35/0.25	W822688B	2000411063	4,724	1,440
0001HBHNLTDJNVK	1	Toneable Flat Drop	Drop	G.652.D SM Low Water Peak	0.35/0.25	W809187	2000112091	19,691	6,002
0001HBHNLTDJNVK	1	Toneable Flat Drop	Drop	G.652.D SM Low Water Peak	0.35/0.25	W809200	2000112091	19,655	5,991
0001HBHNLTDJNVK	1	Toneable Flat Drop	Drop	G.652.D SM Low Water Peak	0.35/0.25	W810970	2000112091	19,649	5,989
0001HBHNLTDJNVK	1	Toneable Flat Drop	Drop	G.652.D SM Low Water Peak	0.35/0.25	W809311	2000112091	19,252	5,868
0001HBHNLTDJNVK	1	Toneable Flat Drop	Drop	G.652.D SM Low Water Peak	0.35/0.25	W810965	2000112091	19,934	6,076
0001HBHNLTDJNVK	1	Toneable Flat Drop	Drop	G.652.D SM Low Water Peak	0.35/0.25	W809319	2000112091	20,548	6,263
0001HDHNLADJNVK	1	Flat Drop	Drop	G.652.D SM Low Water Peak	0.40/0.30	W803476	2000110844	29,987	9,140
0001HDHNLADJNVK	1	Flat Drop	Drop	G.652.D SM Low Water Peak	0.40/0.30	W803488	2000110844	30,118	9,180
0001HDHNLADJNVK	1	Flat Drop	Drop	G.652.D SM Low Water Peak	0.40/0.30	W803496	2000110844	30,144	9,188
0001HDHNLADJNVK	1	Flat Drop	Drop	G.652.D SM Low Water Peak	0.40/0.30	W803477	2000110844	30,131	9,184
0001HDHNLADJNVK	1	Flat Drop	Drop	G.652.D SM Low Water Peak	0.40/0.30	W803491	2000110844	30,128	9,183
0001HDHNLADJNVK	1	Flat Drop	Drop	G.652.D SM Low Water Peak	0.40/0.30	W803463	2000110844	30,128	9,183
0004HDHNLADJNVK	4	Flat Drop	Drop	G.652.D SM Low Water Peak	0.40/0.30	812747	2000410849	7,596	2,315
0008GB41LAFE8MA	8	AeroLink Figure-8, Single Jacket, 4 Fibers/Tube	Figure-8	G.652 Single Mode	0.35/0.25	N802993	2000811698	5,577	1,700
0012HBT1LAFE8MA	12	AeroLink Figure-8, Single Jacket	Figure-8	G.652.D SM Low Water Peak	0.35/0.25	W497778	2001211101	7,983	2,433
0012HBT1LAFE8MA	12	AeroLink Figure-8, Single Jacket	Figure-8	G.652.D SM Low Water Peak	0.35/0.25	495446	2001211101	4,046	1,233
0012HBT1LAFE8MA	12	AeroLink Figure-8, Single Jacket	Figure-8	G.652.D SM Low Water Peak	0.35/0.25	W493576	2001211101	6,684	2,037
0012HBT1LAFE8MA	12	AeroLink Figure-8, Single Jacket	Figure-8	G.652.D SM Low Water Peak	0.35/0.25	W813137	2001211101	6,706	2,044
0024HBT1LAFE8MA	24	AeroLink Figure-8, Single Jacket	Figure-8	G.652.D SM Low Water Peak	0.35/0.25	W818434B	2002411102	4,290	1,307
0024HBT1LAFE8MA	24	AeroLink Figure-8, Single Jacket	Figure-8	G.652.D SM Low Water Peak	0.35/0.25	W802398	2002411102	6,176	1,882
0024HBT1LAFE8MA	24	AeroLink Figure-8, Single Jacket	Figure-8	G.652.D SM Low Water Peak	0.35/0.25	W817598	2002411102	7,646	2,330
0024HBT1LAFE8MA	24	AeroLink Figure-8, Single Jacket	Figure-8	G.652.D SM Low Water Peak	0.35/0.25	W817607	2002411102	8,087	2,465
0024HBT1LAFE8MA	24	AeroLink Figure-8, Single Jacket	Figure-8	G.652.D SM Low Water Peak	0.35/0.25	W818434	2002411102	7,999	2,438
0024HBT1LAFE8MA	24	AeroLink Figure-8, Single Jacket	Figure-8	G.652.D SM Low Water Peak	0.35/0.25	W817670	2002411102	5,344	1,629
0024HBT1LAFE8MA	24	AeroLink Figure-8, Single Jacket	Figure-8	G.652.D SM Low Water Peak	0.35/0.25	W817878	2002411102	8,223	2,507
0024HBT1LAFE8MA	24	AeroLink Figure-8, Single Jacket	Figure-8	G.652.D SM Low Water Peak	0.35/0.25	Z821248A	2002411102	7,080	2,158

Prysmian Fiber Cable Inventory



Updated Inventory List as of **January 25, 2010** at 8:00 am EST

Please contact Customer Service at 800-669-0808 to confirm availability & sequential units (Feet or Meters) and cable print.

Shipments will be within 3 business days from receipt of order, shipped from Lexington, SC

Part Number	Fiber CT	Cable Type	Description	Fiber Type	Fiber Attn	Batch	FGN	Feet	Meters
0036HBT1LAFE8MA	36	AeroLink Figure-8, Single Jacket	Figure-8	G.652.D SM Low Water Peak	0.35/0.25	W808672A	2003611739	4,210	1,283
0036HBT1LAFE8MA	36	AeroLink Figure-8, Single Jacket	Figure-8	G.652.D SM Low Water Peak	0.35/0.25	W808671	2003611739	13,205	4,025
0036HBT1LAFE8MA	36	AeroLink Figure-8, Single Jacket	Figure-8	G.652.D SM Low Water Peak	0.35/0.25	W808673	2003611739	16,210	4,941
0036HBT1LAFE8MA	36	AeroLink Figure-8, Single Jacket	Figure-8	G.652.D SM Low Water Peak	0.35/0.25	W808672	2003611739	5,594	1,705
0036HBT1LAFE8MA	36	AeroLink Figure-8, Single Jacket	Figure-8	G.652.D SM Low Water Peak	0.35/0.25	802401	2003611739	8,546	2,605
0036ZBT1LAFE8MA	36	AeroLink Figure-8, Single Jacket	Figure-8	Corning SMF-28e+	0.35/0.25	Z824633B	2003612499	9,892	3,015
0036HBT1LAFE8MA	36	AeroLink Figure-8, Single Jacket	Figure-8	G.652.D SM Low Water Peak	0.35/0.25	10974	2003611739	16,040	4,889
0036HBT1LAFE8MA	36	AeroLink Figure-8, Single Jacket	Figure-8	G.652.D SM Low Water Peak	0.35/0.25	W11137	2003611739	16,775	5,113
0048HBS1LAFE8MA	48	AeroLink Figure-8, Single Jacket	Figure-8	G.652.D SM Low Water Peak	0.35/0.25	W817571B	2004811103	8,007	2,441
0048HBS1LAFE8MA	48	AeroLink Figure-8, Single Jacket	Figure-8	G.652.D SM Low Water Peak	0.35/0.25	W817571A	2004811103	8,007	2,441
0048HBS1LAFE8MA	48	AeroLink Figure-8, Single Jacket	Figure-8	G.652.D SM Low Water Peak	0.35/0.25	W817608	2004811103	7,983	2,433
0060HBS1LAFE8MA	60	AeroLink Figure-8, Single Jacket	Figure-8	G.652.D SM Low Water Peak	0.35/0.25	W817532	2006011562	6,806	2,074
0060HBS1LAFE8MA	60	AeroLink Figure-8, Single Jacket	Figure-8	G.652.D SM Low Water Peak	0.35/0.25	W807848	2006011562	6,421	1,957
0060HBS1LAFE8MA	60	AeroLink Figure-8, Single Jacket	Figure-8	G.652.D SM Low Water Peak	0.35/0.25	W807847	2006011562	16,217	4,943
0060HBS1LAFE8MA	60	AeroLink Figure-8, Single Jacket	Figure-8	G.652.D SM Low Water Peak	0.35/0.25	W807848A	2006011562	4,212	1,284
0060HBS1LAFE8MA	60	AeroLink Figure-8, Single Jacket	Figure-8	G.652.D SM Low Water Peak	0.35/0.25	W11141	2006011562	16,794	5,119
0060HBS1LAFE8MA	60	AeroLink Figure-8, Single Jacket	Figure-8	G.652.D SM Low Water Peak	0.35/0.25	802487	2006011562	8,629	2,630
0072HBS1LAFE8MA	72	AeroLink Figure-8, Single Jacket	Figure-8	G.652.D SM Low Water Peak	0.35/0.25	W819140	2007211421	7,765	2,367
0072HBS1LAFE8MA	72	AeroLink Figure-8, Single Jacket	Figure-8	G.652.D SM Low Water Peak	0.35/0.25	W817572	2007211421	7,154	2,180
0072HBS1LAFE8MA	72	AeroLink Figure-8, Single Jacket	Figure-8	G.652.D SM Low Water Peak	0.35/0.25	08559B	2007211421	8,501	2,591
0096HBS1LAFE8MA	96	AeroLink Figure-8, Single Jacket	Figure-8	G.652.D SM Low Water Peak	0.35/0.25	W818933	2009611232	7,064	2,153
0096HBS1LAFE8MA	96	AeroLink Figure-8, Single Jacket	Figure-8	G.652.D SM Low Water Peak	0.35/0.25	W817573	2009611232	4,438	1,353
0096HBS1LAFE8MA	96	AeroLink Figure-8, Single Jacket	Figure-8	G.652.D SM Low Water Peak	0.35/0.25	W819281	2009611232	7,066	2,154
0144HBS1LAFE8MA	144	AeroLink Figure-8, Single Jacket	Figure-8	G.652.D SM Low Water Peak	0.35/0.25	W817973	2014411104	5,028	1,532
0144HBS1LAFE8MA	144	AeroLink Figure-8, Single Jacket	Figure-8	G.652.D SM Low Water Peak	0.35/0.25	W818436C	2014411104	4,980	1,518
0144HBS1LAFE8MA	144	AeroLink Figure-8, Single Jacket	Figure-8	G.652.D SM Low Water Peak	0.35/0.25	W818436B	2014411104	4,094	1,248
0012ZBT1LAFERJA	12	FirstLink, Indoor/Outdoor (Riser)	Indoor/Outdoor	Corning SMF-28e+	0.35/0.25	Z825937A	8001212139	8,625	2,629
0012GBT1LAFERJA	12	FirstLink, Indoor/Outdoor (Riser)	Indoor/Outdoor	G.652 Single Mode	0.35/0.25	F821022A	8001210541	4,787	1,459
0012GBT1LAFERJA	12	FirstLink, Indoor/Outdoor (Riser)	Indoor/Outdoor	G.652 Single Mode	0.35/0.25	21022B	8001210541	4,810	1,466
0048HBS1LAFERJA	48	FirstLink, Indoor/Outdoor (Riser)	Indoor/Outdoor	G.652.D SM Low Water Peak	0.35/0.25	Z825460A	8004810526	37,014	11,282
0144HBS1LAFERJA	144	FirstLink, Indoor/Outdoor (Riser)	Indoor/Outdoor	G.652.D SM Low Water Peak	0.35/0.25	Z825461A	8014410547	16,887	5,147
0216HBS1LAFERJA	216	FirstLink, Indoor/Outdoor (Riser)	Indoor/Outdoor	G.652.D SM Low Water Peak	0.35/0.25	W819452	8021612577	6,119	1,865
0012HBS1LABNRJB	12	CampusLink, Indoor/Outdoor (Riser)	Indoor/Outdoor	G.652.D SM Low Water Peak	0.35/0.25	F825622A	8001210340	4,403	1,342
0012HBS1LABNRJB	12	CampusLink, Indoor/Outdoor (Riser)	Indoor/Outdoor	G.652.D SM Low Water Peak	0.35/0.25	Z821489A	8001210340	8,909	2,716
0012ZBS1LABNRJB	12	CampusLink, Indoor/Outdoor (Riser)	Indoor/Outdoor	Corning SMF-28e+	0.35/0.25	Z824928A	8001212656	16,393	4,997

Prysmian Fiber Cable Inventory



Updated Inventory List as of **January 25, 2010** at 8:00 am EST

Please contact Customer Service at 800-669-0808 to confirm availability & sequential units (Feet or Meters) and cable print.

Shipments will be within 3 business days from receipt of order, shipped from Lexington, SC

Part Number	Fiber CT	Cable Type	Description	Fiber Type	Fiber Attn	Batch	FGN	Feet	Meters
0002HBS1LAFESJA	2	FlexLink, Dielectric (SJ)	Loose Tube	G.652.D SM Low Water Peak	0.35/0.25	W808980	2000211234	14,623	4,457
0012GBT1LAFESJA	12	FlexLink, Dielectric (SJ)	Loose Tube	G.652 Single Mode	0.35/0.25	N824789A	2001210407	9,242	2,817
0012GBT1LAFESJA	12	FlexLink, Dielectric (SJ)	Loose Tube	G.652 Single Mode	0.35/0.25	N824789B	2001210407	7,198	2,194
0024HAT1LAFESJA	24	FlexLink, Dielectric (SJ)	Loose Tube	G.652.D SM Low Water Peak	0.35/0.20	Z824375A	2002410476	5,318	1,621
0024HBT1LAFESJA	24	FlexLink, Dielectric (SJ)	Loose Tube	G.652.D SM Low Water Peak	0.35/0.25	Z825446A	2002409411	33,207	10,122
0024HBT1LAFESJA	24	FlexLink, Dielectric (SJ)	Loose Tube	G.652.D SM Low Water Peak	0.35/0.25	Z825445A	2002409411	10,341	3,152
0024ZBT1LAFESJA	24	FlexLink, Dielectric (SJ)	Loose Tube	Corning SMF-28e+	0.35/0.25	Z808007	2002411929	6,732	2,052
0036HBT1LAFESJA	36	FlexLink, Dielectric (SJ)	Loose Tube	G.652.D SM Low Water Peak	0.35/0.25	W813823	2003609234	12,095	3,687
0036HBS1LAFESJA	36	FlexLink, Dielectric (SJ)	Loose Tube	G.652.D SM Low Water Peak	0.35/0.25	W813447A	2003609397	14,104	4,299
0048HBS1LAFESJA	48	FlexLink, Dielectric (SJ)	Loose Tube	G.652.D SM Low Water Peak	0.35/0.25	Z825448A	2004809398	26,069	7,946
0048HBS1LAFESJA	48	FlexLink, Dielectric (SJ)	Loose Tube	G.652.D SM Low Water Peak	0.35/0.25	Z825450A	2004809398	8,873	2,704
0060HBS1LAFESJA	60	FlexLink, Dielectric (SJ)	Loose Tube	G.652.D SM Low Water Peak	0.35/0.25	W815628	2006009399	17,525	5,342
0060HBS1LAFESJA	60	FlexLink, Dielectric (SJ)	Loose Tube	G.652.D SM Low Water Peak	0.35/0.25	W816545	2006009399	17,895	5,455
0060HBS1LAFESJA	60	FlexLink, Dielectric (SJ)	Loose Tube	G.652.D SM Low Water Peak	0.35/0.25	W11562	2006009399	5,673	1,729
0072HBS1LAFESJA	72	FlexLink, Dielectric (SJ)	Loose Tube	G.652.D SM Low Water Peak	0.35/0.25	Z825451A	2007209400	32,863	10,017
0072GBS1LAFESJA	72	FlexLink, Dielectric (SJ)	Loose Tube	G.652 Single Mode	0.35/0.25	W814716	2007210368	4,544	1,385
0096ZBS1LAFESJA	96	FlexLink, Dielectric (SJ)	Loose Tube	Corning SMF-28e+	0.35/0.25	Z823419A	2009611998	3,343	1,019
0192HBS1LAFESJA	192	FlexLink, Dielectric (SJ)	Loose Tube	G.652.D SM Low Water Peak	0.35/0.25	W11468	2019210409	7,559	2,304
0216HBS1LAFESJA	216	FlexLink, Dielectric (SJ)	Loose Tube	G.652.D SM Low Water Peak	0.35/0.25	Z825455A	2021609406	5,626	1,715
0240HBS1LAFESJA	240	FlexLink, Dielectric (SJ)	Loose Tube	G.652.D SM Low Water Peak	0.35/0.25	W818913	2024009914	4,058	1,237
0288HBS1LAFESJA	288	FlexLink, Dielectric (SJ)	Loose Tube	G.652.D SM Low Water Peak	0.35/0.25	F818395	2028809408	3,835	1,169
0312ZBS1LAFESJA	312	FlexLink, Dielectric (SJ)	Loose Tube	Corning SMF-28e+	0.35/0.25	Z808540C	2031211850	3,894	1,187
0002HBS1LAFEDJA	2	FlexLink, Dielectric (DJ)	Loose Tube	G.652.D SM Low Water Peak	0.35/0.25	W816470	2000212521	5,774	1,760
0024HBT1LAFEDJA	24	FlexLink, Dielectric (DJ)	Loose Tube	G.652.D SM Low Water Peak	0.35/0.25	F810297C	2002411152	9,885	3,013
0018HBS1LAFEAJA	18	FlexLink, Armored (SA/SJ)	Loose Tube	G.652.D SM Low Water Peak	0.35/0.25	Z823522A	2001809414	4,167	1,270
0018HBT1LAFEAJA	18	FlexLink, Armored (SA/SJ)	Loose Tube	G.652.D SM Low Water Peak	0.35/0.25	Z821325A	2001809849	6,499	1,981
0024HBS1LAFEAJA	24	FlexLink, Armored (SA/SJ)	Loose Tube	G.652.D SM Low Water Peak	0.35/0.25	W805142	2002410741	5,610	1,710
0024HBT1LAFEAJA	24	FlexLink, Armored (SA/SJ)	Loose Tube	G.652.D SM Low Water Peak	0.35/0.25	W819568	2002409367	11,617	3,541
0024HBT1LAFEAJA	24	FlexLink, Armored (SA/SJ)	Loose Tube	G.652.D SM Low Water Peak	0.35/0.25	F825655B	2002409367	7,774	2,370
0024ZBT1LAFEAJA	24	FlexLink, Armored (SA/SJ)	Loose Tube	Corning SMF-28e+	0.35/0.25	Z825702A	2002412083	7,625	2,324
0036HBT1LAFEAJA	36	FlexLink, Armored (SA/SJ)	Loose Tube	G.652.D SM Low Water Peak	0.35/0.25	W816885	2003609430	4,032	1,229
0036HBT1LAFEAJA	36	FlexLink, Armored (SA/SJ)	Loose Tube	G.652.D SM Low Water Peak	0.35/0.25	W819893B	2003609430	5,402	1,646
0048HBS1LAFEAJA	48	FlexLink, Armored (SA/SJ)	Loose Tube	G.652.D SM Low Water Peak	0.35/0.25	W819808B	2004809418	4,580	1,396
0048HBS1LAFEAJA	48	FlexLink, Armored (SA/SJ)	Loose Tube	G.652.D SM Low Water Peak	0.35/0.25	Z825226B	2004809418	36,753	11,202
0060ZBS1LAFEAJA	60	FlexLink, Armored (SA/SJ)	Loose Tube	Corning SMF-28e+	0.35/0.25	25097A	2006012372	16,388	4,995

Prysmian Fiber Cable Inventory



Updated Inventory List as of **January 25, 2010** at 8:00 am EST

Please contact Customer Service at 800-669-0808 to confirm availability & sequential units (Feet or Meters) and cable print.

Shipments will be within 3 business days from receipt of order, shipped from Lexington, SC

Part Number	Fiber CT	Cable Type	Description	Fiber Type	Fiber Attn	Batch	FGN	Feet	Meters
0072HBS1LAFEAJA	72	FlexLink, Armored (SA/SJ)	Loose Tube	G.652.D SM Low Water Peak	0.35/0.25	18814C	2007209420	3,484	1,062
0084HBS1LAFEAJA	84	FlexLink, Armored (SA/SJ)	Loose Tube	G.652.D SM Low Water Peak	0.35/0.25	W808314	2008409421	3,881	1,183
0096HBS1LAFEAJA	96	FlexLink, Armored (SA/SJ)	Loose Tube	G.652.D SM Low Water Peak	0.35/0.25	W816671	2009609422	3,737	1,139
0096HBS1LAFEAJA	96	FlexLink, Armored (SA/SJ)	Loose Tube	G.652.D SM Low Water Peak	0.35/0.25	W818766	2009609422	3,330	1,015
0108HBS1LAFEAJA	108	FlexLink, Armored (SA/SJ)	Loose Tube	G.652.D SM Low Water Peak	0.35/0.25	F10951	2010809624	14,347	4,373
0132HBS1LAFEAJA	132	FlexLink, Armored (SA/SJ)	Loose Tube	G.652.D SM Low Water Peak	0.35/0.25	803318	2013209424	8,671	2,643
0144ZBS1LAFEAJA	144	FlexLink, Armored (SA/SJ)	Loose Tube	Corning SMF-28e+	0.35/0.25	Z824017B	2014412058	3,290	1,003
0144ZBS1LAFEAJA	144	FlexLink, Armored (SA/SJ)	Loose Tube	Corning SMF-28e+	0.35/0.25	Z824017A	2014412058	11,483	3,500
0144XXS1LAFEAJA	144	FlexLink, Armored (SA/SJ)	Loose Tube	Mixed Fibers	Mixed	W496654	2014411866	3,287	1,002
0168HBS1LAFEAJA	168	FlexLink, Armored (SA/SJ)	Loose Tube	G.652.D SM Low Water Peak	0.35/0.25	F813984	2016809772	6,713	2,046
0216HBS1LAFEAJA	216	FlexLink, Armored (SA/SJ)	Loose Tube	G.652.D SM Low Water Peak	0.35/0.25	W814304	2021609426	3,599	1,097
0240HBS1LAFEAJA	240	FlexLink, Armored (SA/SJ)	Loose Tube	G.652.D SM Low Water Peak	0.35/0.25	W10684	2024010684	3,609	1,100
0048HBS1LAFESAA	48	FlexLink, Armored (SA/DJ)	Loose Tube	G.652.D SM Low Water Peak	0.35/0.25	W809563	2004809442	3,804	1,159
0084HBS1LAFESAA	84	FlexLink, Armored (SA/DJ)	Loose Tube	G.652.D SM Low Water Peak	0.35/0.25	W816064	2008409445	5,837	1,779
0084HBS1LAFESAA	84	FlexLink, Armored (SA/DJ)	Loose Tube	G.652.D SM Low Water Peak	0.35/0.25	W814373	2008409445	9,632	2,936
0084HBS1LAFESAA	84	FlexLink, Armored (SA/DJ)	Loose Tube	G.652.D SM Low Water Peak	0.35/0.25	W814376	2008409445	9,993	3,046
0096HBS1LAFESAA	96	FlexLink, Armored (SA/DJ)	Loose Tube	G.652.D SM Low Water Peak	0.35/0.25	W808309Z	2009609446	5,144	1,568
0120HBS1LAFESAA	120	FlexLink, Armored (SA/DJ)	Loose Tube	G.652.D SM Low Water Peak	0.35/0.25	W817098	2012009448	3,976	1,212
0144HBS1LAFESAA	144	FlexLink, Armored (SA/DJ)	Loose Tube	G.652.D SM Low Water Peak	0.35/0.25	Z821751B	2014409450	9,069	2,764
0012HAT1LAFEDAA	12	FlexLink, Armored (DA/TJ)	Loose Tube	G.652.D SM Low Water Peak	0.35/0.20	Z822338A	2001211016	9,081	2,768
0012HBT1LAFEDAA	12	FlexLink, Armored (DA/TJ)	Loose Tube	G.652.D SM Low Water Peak	0.35/0.25	Z821495B	2001210627	10,267	3,130
0048HAS1LAFEDAA	48	FlexLink, Armored (DA/TJ)	Loose Tube	G.652.D SM Low Water Peak	0.35/0.20	Z824907A	2004810528	8,465	2,580
0096HAS1LAFEDAA	96	FlexLink, Armored (DA/TJ)	Loose Tube	G.652.D SM Low Water Peak	0.35/0.20	802830	2009610517	4,734	1,443
0048HAS1LAFEADA	48	FlexLink, Armored (DA/DJ)	Loose Tube	G.652.D SM Low Water Peak	0.35/0.20	W814602	2004812462	9,042	2,756
0096ZBS1LAFEADA	96	FlexLink, Armored (DA/DJ)	Loose Tube	Corning SMF-28e+	0.35/0.25	Z823818A	2009611881	15,472	4,716
0096ZBS1LAFEADA	96	FlexLink, Armored (DA/DJ)	Loose Tube	Corning SMF-28e+	0.35/0.25	Z823818B	2009611881	3,730	1,137
0024ZBT1LAJESJA	24	Dry FlexLink (Gel-Free), Dielectric (SJ)	Loose Tube	Corning SMF-28e+	0.35/0.25	G820158A	2002412390	4,414	1,345
0036XXT1LAJESJA	36	Dry FlexLink (Gel-Free), Dielectric (SJ)	Loose Tube	Mixed Fibers	Mixed	Z821059A	8003612737	3,556	1,084
0048XXS1LAJESJA	48	Dry FlexLink (Gel-Free), Dielectric (SJ)	Loose Tube	Mixed Fibers	Mixed	805399	8004812161	15,377	4,687
0096HCS1LAJESJA	96	Dry FlexLink (Gel-Free), Dielectric (SJ)	Loose Tube	G.652.D SM Low Water Peak	0.40/0.30	F822468A	2009612831	8,431	2,570
0096HBS1LAJESJA	96	Dry FlexLink (Gel-Free), Dielectric (SJ)	Loose Tube	G.652.D SM Low Water Peak	0.35/0.25	F821744A	2009611595	3,736	1,139
0096HBS1LAJESJA	96	Dry FlexLink (Gel-Free), Dielectric (SJ)	Loose Tube	G.652.D SM Low Water Peak	0.35/0.25	F812934B	2009611595	4,263	1,299
0096HBS1LAJESJA	96	Dry FlexLink (Gel-Free), Dielectric (SJ)	Loose Tube	G.652.D SM Low Water Peak	0.35/0.25	F812934	2009611595	4,199	1,280
0096HBS1LAJESJA	96	Dry FlexLink (Gel-Free), Dielectric (SJ)	Loose Tube	G.652.D SM Low Water Peak	0.35/0.25	F815051	2009611595	9,432	2,875
0144XXS1LAJESJA	144	Dry FlexLink (Gel-Free), Dielectric (SJ)	Loose Tube	Mixed Fibers	Mixed	MX11391	8014412164	11,709	3,569

Prysmian Fiber Cable Inventory



Updated Inventory List as of **January 25, 2010** at 8:00 am EST

Please contact Customer Service at 800-669-0808 to confirm availability & sequential units (Feet or Meters) and cable print.

Shipments will be within 3 business days from receipt of order, shipped from Lexington, SC

Part Number	Fiber CT	Cable Type	Description	Fiber Type	Fiber Attn	Batch	FGN	Feet	Meters
0144XS1LAJESJA	144	Dry FlexLink (Gel-Free), Dielectric (SJ)	Loose Tube	Mixed Fibers	Mixed	MX11392	8014412164	3,696	1,126
0008ZBT1LAJEAJA	8	Dry FlexLink (Gel-Free), Armored (SA/SJ)	Loose Tube	Corning SMF-28e+	0.35/0.25	Z808444	2000812107	13,149	4,008
0008ZBT1LAJEAJA	8	Dry FlexLink (Gel-Free), Armored (SA/SJ)	Loose Tube	Corning SMF-28e+	0.35/0.25	08446A	2000812107	16,496	5,028
0012HBT1LAJEAJA	12	Dry FlexLink (Gel-Free), Armored (SA/SJ)	Loose Tube	G.652.D SM Low Water Peak	0.35/0.25	F823073A	2001211857	10,275	3,132
0012HBT1LAJEAJA	12	Dry FlexLink (Gel-Free), Armored (SA/SJ)	Loose Tube	G.652.D SM Low Water Peak	0.35/0.25	F823073B	2001211857	5,924	1,806
0036HBT1LAJEAJA	36	Dry FlexLink (Gel-Free), Armored (SA/SJ)	Loose Tube	G.652.D SM Low Water Peak	0.35/0.25	498498	9003650003	8,717	2,657
0048HCS1LAJEAJA	48	Dry FlexLink (Gel-Free), Armored (SA/SJ)	Loose Tube	G.652.D SM Low Water Peak	0.40/0.30	F823244C	2004812726	12,428	3,788
0048HCS1LAJEAJA	48	Dry FlexLink (Gel-Free), Armored (SA/SJ)	Loose Tube	G.652.D SM Low Water Peak	0.40/0.30	F823081B	2004812726	20,789	6,337
0060HBS1LAJEAJA	60	Dry FlexLink (Gel-Free), Armored (SA/SJ)	Loose Tube	G.652.D SM Low Water Peak	0.35/0.25	F823215B	2006011889	6,128	1,868
0108HBS1LAJEAJA	108	Dry FlexLink (Gel-Free), Armored (SA/SJ)	Loose Tube	G.652.D SM Low Water Peak	0.35/0.25	W10700	2010812025	9,249	2,819
0144ZBS1LAJEAJA	144	Dry FlexLink (Gel-Free), Armored (SA/SJ)	Loose Tube	Corning SMF-28e+	0.35/0.25	G823137A	2014411832	4,068	1,240
0276HBS1LAJEAJA	276	Dry FlexLink (Gel-Free), Armored (SA/SJ)	Loose Tube	G.652.D SM Low Water Peak	0.35/0.25	F11489	2027612118	8,471	2,582
0288HBS1LAJEAJA	288	Dry FlexLink (Gel-Free), Armored (SA/SJ)	Loose Tube	G.652.D SM Low Water Peak	0.35/0.25	F11276A	2028811955	4,814	1,467
0288HBS1LAJEAJA	288	Dry FlexLink (Gel-Free), Armored (SA/SJ)	Loose Tube	G.652.D SM Low Water Peak	0.35/0.25	F11274	2028811955	5,738	1,749
0144HBS1LAJESAA	144	Dry FlexLink (Gel-Free), Armored (SA/DJ)	Loose Tube	G.652.D SM Low Water Peak	0.35/0.25	W9670	2014411768	13,123	4,000
0024HBT1LAVESJA	24	MiniLink	Mini Loose Tube	G.652.D SM Low Water Peak	0.35/0.25	W819724	2002410559	5,214	1,589
0096HBS1LAVESJA	96	MiniLink	Mini Loose Tube	G.652.D SM Low Water Peak	0.35/0.25	F811550	2009610561	10,689	3,258
0096HBS1LAVESJA	96	MiniLink	Mini Loose Tube	G.652.D SM Low Water Peak	0.35/0.25	F811550B	2009610561	5,016	1,529
0072HBS1LAVESHA	72	ActionLink 600	Mini Loose Tube	G.652.D SM Low Water Peak	0.35/0.25	W823983A	2007211467	12,159	3,706
0012HAT1LAVESH	12	ActionLink 300	Mini Loose Tube	G.652.D SM Low Water Peak	0.35/0.20	W807588B	2001211906	36,551	11,141
0012HAT1LAVESH	12	ActionLink 300	Mini Loose Tube	G.652.D SM Low Water Peak	0.35/0.20	W807588A	2001211906	12,785	3,897
0012HAT1LAVESH	12	ActionLink 300	Mini Loose Tube	G.652.D SM Low Water Peak	0.35/0.20	W807589C	2001211906	17,199	5,242
0012HAT1LAVESH	12	ActionLink 300	Mini Loose Tube	G.652.D SM Low Water Peak	0.35/0.20	W807589	2001211906	19,869	6,056
0012HAT1LAVESH	12	ActionLink 300	Mini Loose Tube	G.652.D SM Low Water Peak	0.35/0.20	W806177	2001211906	12,625	3,848
0036HAT1LAVESH	36	ActionLink 300	Mini Loose Tube	G.652.D SM Low Water Peak	0.35/0.20	W807593	2003611908	6,024	1,836
0036HAT1LAVESH	36	ActionLink 300	Mini Loose Tube	G.652.D SM Low Water Peak	0.35/0.20	W807592	2003611908	39,120	11,924
0060HAS1LAVESH	60	ActionLink 300	Mini Loose Tube	G.652.D SM Low Water Peak	0.35/0.20	Z808602A	2006012199	16,404	5,000
0060HAS1LAVESH	60	ActionLink 300	Mini Loose Tube	G.652.D SM Low Water Peak	0.35/0.20	W806444B	2006012199	24,888	7,586
0072HAS1LAVESH	72	ActionLink 300	Mini Loose Tube	G.652.D SM Low Water Peak	0.35/0.20	Z820516A	2007211910	3,358	1,023
0072GBS1LAVESH	72	ActionLink 300	Mini Loose Tube	G.652 Single Mode	0.35/0.25	W810209	2007212335	6,867	2,093
0360HBSWRABESJB	360	FusionLink Dielectric, 24 Fiber Ribbons	Ribbon in Central Tube (RCLT)	G.652.D SM Low Water Peak	0.35/0.25	F817053B	3036011666	10,387	3,166
0360HCSWRABESJB	360	FusionLink Dielectric, 24 Fiber Ribbons	Ribbon in Central Tube (RCLT)	G.652.D SM Low Water Peak	0.40/0.30	W8929	3036010622	13,500	4,115
0012HBSTRABESJB	12	FusionLink Dielectric	Ribbon in Central Tube (RCLT)	G.652.D SM Low Water Peak	0.35/0.25	Z822960A	3001210147	24,995	7,619
0096HCSTRABESJB	96	FusionLink Dielectric	Ribbon in Central Tube (RCLT)	G.652.D SM Low Water Peak	0.40/0.30	W817032	3009609769	24,955	7,606
0144HBSTRABESJB	144	FusionLink Dielectric	Ribbon in Central Tube (RCLT)	G.652.D SM Low Water Peak	0.35/0.25	Z824387A	3014411236	11,263	3,433

Prysmian Fiber Cable Inventory



Updated Inventory List as of January 25, 2010 at 8:00 am EST

Please contact Customer Service at 800-669-0808 to confirm availability & sequential units (Feet or Meters) and cable print.

Shipments will be within 3 business days from receipt of order, shipped from Lexington, SC

Part Number	Fiber CT	Cable Type	Description	Fiber Type	Fiber Attn	Batch	FGN	Feet	Meters
0144HBSTRABSAJB	144	FusionLink Armored	Ribbon in Central Tube (RCLT)	G.652.D SM Low Water Peak	0.35/0.25	F823872A	3014410239	4,130	1,259
0144HBSTRABSAJB	144	FusionLink Armored	Ribbon in Central Tube (RCLT)	G.652.D SM Low Water Peak	0.35/0.25	Z824933A	3014410239	5,800	1,768
0432HCSWRADSAJB	432	Dry FusionLink (Gel-Free) Armored, 24 Fiber Ribbons	Ribbon in Central Tube (RCLT)	G.652.D SM Low Water Peak	0.40/0.30	G822111C	3043212846	4,882	1,488
0072HBSTRADSAJB	72	Dry FusionLink (Gel-Free) Armored	Ribbon in Central Tube (RCLT)	G.652.D SM Low Water Peak	0.35/0.25	G823649B	3007212886	7,119	2,170
0096GBSTRADSAJB	96	Dry FusionLink (Gel-Free) Armored	Ribbon in Central Tube (RCLT)	G.652 Single Mode	0.35/0.25	F10521	3009611875	9,707	2,959
0108HBSTRADSAJB	108	Dry FusionLink (Gel-Free) Armored	Ribbon in Central Tube (RCLT)	G.652.D SM Low Water Peak	0.35/0.25	F809545	3010811985	15,543	4,738
0216HBSTRADSAJB	216	Dry FusionLink (Gel-Free) Armored	Ribbon in Central Tube (RCLT)	G.652.D SM Low Water Peak	0.35/0.25	G823682B	3021611987	13,110	3,996